APSEZL MUNDRA MONTHLY DRAFT DECLARATION - DECEMBER - 2022							
Declared on 01.12.2022							
Berth	Maximum Acceptable LOA	Maximum Acceptable Beam	Maximum Acceptable Draft at CD. (*) (mtrs)	Displacement		Remark	
		1	1	Terminal	1		
Berth NO:1	295	48	13.5	90000			
Berth NO:2	185	35	13.7	40000			
Berth No.3 Berth NO:4	230 230	45 35	14.2 13.9	90000 90000			
Barge Berth	85	15	6.0	4200			
			1	Terminal	2		
Berth NO:5	300	45	13.5	180000		h 575 mtrs hence more than two ships can be berthed in	
Berth NO:6	300	45	14.3	180000	each quay subject to 35 mtrs clearance between ships.		
Berth NO:7	225	35	Berth 7 and Be Operal				
Berth NO:8	200	35		Terminal	3		
Berth NO:9	295	48	13	120000			
Berth NO:10	295	48	12.8	74000		h 794 mtrs hence more than two ships can be berthed in ct to 35 mtrs clearance between ships.	
Berth NO:11	295	48	12.4	74000			
Berth NO:12	235	35	13.2	74000			
WB 1	325	55	17.5	West Bas 266000			
WB 1	325	55	17.5	266000			
WB 3	325	55	17.5	266000			
WB 4	325	55	15.8	321000			
MICT CB 1	365	55	14.7	Container Ter 180000	-	1	
MICT CB 1	365	55	14.7	180000	Only up to bollard 32	Total quay length of each terminal 630 meters each in	
AMCT CB 3	365	55	15	180000	Only up to	straight line and hence more than two ships can be berthed in each terminal subject to a minimum of 35 mtrs clearance between each vessel.	
AMCT CB 4	365	55	15.4	180000	bollard 31		
ACMTPL SB4	405	60	15.6	231600		h 650 mtrs in straight line hence more than two ships can	
ACMTPL SB5	405	60	15.6	231600	be berthed in ea	ch quay subject to 35 mtrs clearance between ships.	
AICTPL SB6	405	60	14.6	180000	-		
AICTPL SB7	405	60	15.1	180000	Total quay length 1460 mtrs in straight line hence more than four ships car		
AICTPL SB8	405	60	16.2	231600	be berthed in ea	berthed in each quay subject to 35 mtrs clearance between ships.	
AICTPL SB9	405	60	15	231600			
			T	LNG Termin	al		
LNG	410	55	15.1	178578			
NOTE:	All depths are in meters and below chart datum (i.e, 0.0 mtrs height of tide)     Amaximum acceptable draft at CD for a berth is basis the Lowest Astronomical Tide which is 0.0 mtrs.						
	5. Higher berthing draft may be accepted basis the low water expected during the vessel stay at the berth.						
	For Example: If t is 0.5 metres, th	or Example: If the Maximum acceptable draft for a given berth at CD is given as 13 metres and the height of lowest low water expected during the vessel's stay 0.5 metres, then maximum acceptable draft for that berth will be 13.5 metres.					
<ol> <li>A Minimum under keel clearance of 10% of the ship's draft<sup>*</sup> will be maintained during channel passage. A minimum UKC of 0.3 to 0.5 mtrs wat all time when the vessel is alongside the berth.</li> <li>Minimum depth in approach channel and manoeuvring basin for the month is as follows. a) MICT approach channel - 13.2 mtrs. b) South base</li> </ol>						el passage. A minimum UKC of 0.3 to 0.5 mtrs will be maintained	
						NCT approach channel - 13.2 mtrs. b) South basin (AICTPL &	
	ACMPTL) approach channel - 13.4 mtrs c) West basin approach channel -14.3 mtrs. 6. Oraffs at which vessel can sail anytime (AMCT/MICT/SB/WB) Lowest Low water in 23rd Dec : 0.62 mtrs. AMCT and MICT : Vessels with draft <= 12.56 M can sail anytime. South Basin (AICTPL & ACMPTL) : vessels with draft <= 13.56 M can sail anytime. West Basin = vessels with draft <= 13.56 M can sail anytime. Vessels with draft <= 13.56 M can sail anytime.						
						ning part of the year it ranges between 1.024 to 1.025	
Thanking you Subte Alexandree Capt. Sachin Sriva Head - Marine Ser Adani Ports and Spe	vices	ne Ltd		Tel +91 02838 2557	81		
Adani House P.O. Box 1 Mundra, Kutch 370 4 Gujarat, India				Fax +91 2838 25 5110 info@adani.com www.adaniports.com			
Registered Office: "Adani Corporate House", Shantigram, Near Vaishno Devi Circle, S. G. Highway, Ahmedabad - 382421, Gujarat, India.							