

## APSEZL MUNDRA MONTHLY DRAFT DECLARATION - MAY - 2023

Ports and Logistics							
209100100			Dec	clared on 02.0	3.2023		
Berth	Maximum Acceptable LOA	Maximum Acceptable Beam	Maximum Acceptable Draft at CD. (*) (mtrs)	Displacement	Remark		
	•		'	Terminal 1			
Berth NO:1	295	48	13.6	90000			
Berth NO:2	185	35	13	40000			
Berth No.3	230	45	14	90000			
Berth NO:4	230	35	13.7	90000			
Barge Berth	85	15	6.0	4200			
			•	Terminal 2	2		
Berth NO:5	300	45	15	180000	Total Quay length 575 mtrs hence more than two ships can be berthed in each quay subject to 35 mtrs clearance between ships.		
Berth NO:6	300	45	15	180000			
Berth NO:7	225	35	Berth 7 and Berl	th 8 are Non			
Berth NO:8	200	35	Operation				
				Terminal 3	3		
Berth NO:9	295	48	13.5	120000			
Berth NO:10	295	48	12.8	74000		h 794 mtrs hence more than two ships can be berthed in	
Berth NO:11	295	48	13	74000	_eacii quay subje	ct to 35 mtrs clearance between ships.	
Berth NO:12	235	35	13.5	74000			
				West Basi	n		
WB 1	325	55	17.5	266000			
WB 2	325	55	17.5	266000			
WB 3	325	55	17.5	266000			
WB 4	325	55	15.5	321000			
				Container Terr	minal		
MICT CB 1	365	55	14.2	180000	Only up to		
MICT CB 2	365	55	15.0	180000	bollard 32	ollard 32 Total quay length of each terminal 630 meters each in straight line and hence more than two ships can be berthed in each terminal subject to a minimum of 35 mt clearance between each vessel.	
AMCT CB 3	365	55	15	180000	Only up to		
AMCT CB 4	365	55	14.9	180000	bollard 31		
ACMTPL SB4	405	60	15.5	231600	Tabal averales ab	to the CEO and the state of the Ceo and th	
ACMTPL SB5	405	60	15.6	231600	Total quay length 650 mtrs in straight line hence more than two ships be berthed in each quay subject to 35 mtrs clearance between ships.		
AICTPL SB6	405	60	16	180000			
					Total quay length 1460 mtrs in straight line hence more than four ships be berthed in each quay subject to 35 mtrs clearance between ships.		
AICTPL SB7	405	60	15	180000			
AICTPL SB8	405	60	16 m upto bollard 62,	231600			
AICTPL SB9	405	60	15.0 m bollard 62-66, 12.5 m bollard 66 to 67	231600			
				LNG Termina	al		
LNG	410	55	14.8	178578			
NOTE:	1. All depths are	in meters and be	low chart datum (i.e, 0.0 n	ntrs height of tide)	1		
	2. Maximum acceptable draft at CD for a berth is basis the Lowest Astronomical Tide which is 0.0 mtrs.						
	3. Higher berthing draft may be accepted basis the low water expected during the vessel stay at the berth. For Example: If the Maximum acceptable draft for a given berth at CD is given as 13 metres and the height of lowest low water expected during the vessel's stay is 0.5 metres, then maximum acceptable draft for that berth will be 13.5 metres.						
	A. A Minimum under keel clearance of 10% of the ship's draft" will be maintained during channel passage. A minimum UKC of 0.3 to 0.5 mtrs will be maintained at all time when the vessel is alongside the berth.						
	5. Minimum depth in approach channel and manoeuvring basin for the month is as follows. a) MICT approach channel - 13.3 mtrs. b) South basin (AICTPL 8 ACMPTL approach channel - 14.5 mtrs.) West basin approach channel - 14.8 mtrs.						
	C.Drafts at which vessel can sail anytime (AMCT/MICT/SB/WB) Lowest Low water in 19 May 23 : 0.66 mtrs.  AMCT and MICT : Vessels with draft < = 12.7 M can sail anytime.  South Basin (AICTPL & ACMPTL) : vessels with draft < = 13.8 M can sail anytime.  Vessels with draft < = 14.0 M can sail anytime.  Vessels with draft < = 14.0 M can sail anytime.						
	7. (a) Max acceptable LOA / Beam / Draft for IOCL SPM is 348 / 65 / 25 Mtrs (b) Max acceptable LOA / Beam / Draft for HMEL SPM is 345 / 60 / 23 Mtrs (c) Night berthing is restricted at both IOCL and HMEL SPM						
	8. Weather Parameters for berth (a) Cease berthing activity when sustained wind speed more than 30 kts. (b) Cease cango transfer operation when sustained wind speed more than 35 kts. (c) Unberth ship if sustained when wind speed more than 40 kts.						
	9. Water Density	- Water Density	varies from 1.020 to 1.02	3 during SW Monsoc	on period. Remaining	part of the year it ranges between 1.024 to 1.025	

Thanking you

Capt. Sachin Srivastava Head - Marine Services

Adani Ports and Special Economic Zone Ltd Adani House P.O. Box 1 Mundra, Kutch 370 421 Gujarat, India

Tel +91 02838 255781 Fax +91 2838 25 5110 info@adani.com www.adaniports.com

9. Water Density - Water Density varies from 1.020 to 1.023 during SW Monsoon period. Remaining part of the year it ranges between 1.024 to 1.025

Registered Office: "Adani Corporate House", Shantigram, Near Vaishno Devi Circle, S. G. Highway, Ahmedabad - 382421, Gujarat, India.